

CABINETS FOR VIDEO SURVEILLANCE APPLICATIONS



Description

The Security DVR / NVR Series represents the secure way to preserve video recordings coming from video surveillance systems and also to better guarantees the protection of personal data, in line with the requests of the privacy guarantor (GDPR 679/2016).

Technical features


Monobloc welded structure in 1.2 mm powder-coated sheet steel, front door with double lock with two different keys, opening at 90° and predisposition for mounting a micro magnetic contact to be connected to the alarm system. The DVR / NVR is fixed by means of adjustable brackets.

Technical Specifications

Material	1.2 mm steel	VESA bracket	Provision in the bottom (not included)
Front door	90° opening	Ventilation	Side (fan not included)
DVR / NVR fixing	Through adjustable brackets	Painting	Epoxy powders RAL 9005 or RAL 9016
Door lock	Double with different keys	Conformity	RoHS 2 Directive 2011/65 / EU
Cable entry	From the base with two 48 ø holes	Guarantee	2 years
Bracket	19" 1Unm in the cable compartment (not included)		

Construction Drawing & Dimensions

- 1 Front door with 90° opening
- 2 Double lock with two different keys
- 3 Predisposition for magnetic micro contact to be connected to the alarm system
- 4 Adjustable brackets
- Lower cable compartment with 19" 1Unm bracket
- 6 VESA bracket
- Allows theinstallation of a ventilation kit



Versions

Code	Description	Height	Width	Depth	Color
309264	Security DVR/NVR - wall mounting	580 mm	600 mm	195 mm	Black, RAL 9005
309265	Security DVR/NVR - wall mounting	580 mm	600 mm	195 mm	White, RAL 9016

Accessories

Code	Description	Height	Width	Depth	Color
309153	VESA bracket 50 x 50 - 75 x 75 - 100 x 100	125 mm	175 mm	23 mm	Black, RAL 9005
309156	VESA bracket 50 x 50 - 75 x 75 - 100 x 100	125 mm	175 mm	23 mm	White, RAL 9016
309154	Bracket kit 19" 1Unm	45 mm	482,6 mm	60 mm	Black, RAL 9005
309157	Bracket kit 19" 1Unm	45 mm	482,6 mm	60 mm	White, RAL 9016
309139	PDU 19" 1Unm 8 universal sockets int. bright	45 mm	482,6 mm	45 mm	Black
309148	Single fan 220V with Schuko plug	38 mm	120 mm	120 mm	Black



Description

The Security DVR / NVR Series represents the secure way to preserve video recordings coming from video surveillance systems and also to better guarantees the protection of personal data, in line with the requests of the privacy guarantor (GDPR 679/2016).

Technical features


Monobloc welded structure in 1.2 mm powder-coated sheet steel, front door with double lock with two different keys, opening at 90° and predisposition for mounting a micro magnetic contact to be connected to the alarm system. The DVR / NVR is fixed by means of adjustable brackets.

Technical Specifications

Material	1.2 mm steel	Bracket	19" 1U per PDU (not included)
Front door	90° opening	Roof ventilation	Ventilation grids (no fan)
DVR / NVR fixing	Through adjustable brackets	Painting	Epoxy powders RAL 9005 or RAL 9016
Door lock	Double with different keys	Conformity	RoHS 2 Directive 2011/65 / EU
Cable entry	From the base with two 48 ø holes	Guarantee	2 years

Construction Drawing & Dimensions

- 1 Front door with 90° opening
- 2 Double lock with two different keys
- 3 Predisposition for magnetic micro contact to be connected to the alarm system
- 4 Adjustable brackets
- Bracket 19" 1Unm for PDU
- 6 Ventilation grids



Versions

Code	Description	Height	Width	Depth	Color
309266	Security DVR/NVR - wall mounting	544 mm	600 mm	119 mm	Black, RAL 9005
309267	Security DVR/NVR - wall mounting	544 mm	600 mm	119 mm	White, RAL 9016

Accessories

Code	Description	Height	Width	Depth	Color
309153	VESA bracket 50 x 50 - 75 x 75 - 100 x 100	125 mm	175 mm	23 mm	Black, RAL 9005
309156	VESA bracket 50 x 50 - 75 x 75 - 100 x 100	125 mm	175 mm	23 mm	White, RAL 9016
309154	Bracket kit 19" 1Unm	45 mm	482,6 mm	60 mm	Black, RAL 9005
309157	Bracket kit 19" 1Unm	45 mm	482,6 mm	60 mm	White, RAL 9016
309139	PDU 19" 1Unm 8 universal sockets int. bright	45 mm	482,6 mm	45 mm	Black
309148	Single fan 220V with Schuko plug	38 mm	120 mm	120 mm	Black